

# IONIZATION POTENTIALS OF MOLECULES: (Continued)

## REFERENCES (Continued)

128. Ehlert, T. C. and Margrave, J. L. *J. Am. Chem. Soc.* **86**, 3901 (1964).
129. Hobrock, B. G. and Kiser, R. W. *J. Phys. Chem.* **65**, 2186 (1961).
130. Hess, G. G., Lampe, F. W. and Sommer, L. H. *J. Am. Chem. Soc.* **87**, 5327 (1965).
131. Price, W. C. and Passmore, T. R. *Disc. Faraday Soc.* **35**, 232 (1963).
132. Wada, Y. and Kiser, R. W. *J. Phys. Chem.* **68**, 2290 (1964).
133. Berkowitz, J. and Chupka, W. A. *J. Chem. Phys.* **40**, 287 (1964).
134. Palmer, T. F. and Lossing, F. P. *J. Am. Chem. Soc.* **84**, 4661 (1962).
135. Price, W. C. *Bull. Am. Phys. Soc.* **10**, 9 (1935).
136. Hobrock, B. G. and Kiser, R. W. *J. Phys. Chem.* **66**, 1551 (1962).
137. Hobrock, B. G. and Kiser, R. W. *J. Phys. Chem.* **67**, 648 (1963).
138. Hobrock, B. G. and Kiser, R. W. *J. Phys. Chem.* **66**, 1648 (1962).
139. Khvostenko, V. I. *Russ. J. Phys. Chem.* **36**, 197 (1962).
140. Hobrock, B. G. and Kiser, R. W. *J. Phys. Chem.* **67**, 1283 (1963).
141. Reese, R. M., Dibeler, V. H. and Franklin, J. L. *J. Chem. Phys.* **29**, 880 (1958).
142. Baldwin, M., Maccoll, A., Kirkien-Konaszewicz, A. and Saville, B. *Chem. Ind.* **286** (1966).
143. Gowenlock, B. G., Kay, J. and Majer, J. R. *Trans. Faraday Soc.* **59**, 2463 (1963).
144. Berkowitz, J., Tasman, H. A. and Chupka, W. A. *J. Chem. Phys.* **36**, 2170 (1962).
145. Price, W. C. *J. Chem. Phys.* **4**, 539 (1936).
146. Harrison, A. G. and Shannon, T. W. *Can. J. Chem.* **40**, 1730 (1962).
147. Herron, J. T. and Dibeler, V. H. *J. Am. Chem. Soc.* **82**, 1555 (1960).
148. Margrave, J. L. *J. Chem. Phys.* **31**, 1432 (1959).
149. Majer, J. R. and Patrick, C. R. *Trans. Faraday Soc.* **58**, 17 (1962).
150. Dibeler, V. H., Reese, R. M. and Mann, D. E. *J. Chem. Phys.* **27**, 176 (1957).
151. Foffani, A., Pignatari, S., Cantone, B. and Grasso, F. *Nuovo Cimento* **29**, 918 (1963).
152. Momigny, J. and Wirtz-Cordier, A. M. *Ann. Soc. Sci. Bruxelles* **76**, 164 (1962).
153. Hobrock, B. G. and Kiser, R. W. *J. Phys. Chem.* **68**, 575 (1964).
154. Winters, R. E. and Kiser, R. W. *J. Organometal. Chem.* **4**, 190 (1965).
155. Vilesov, F. I. and Kurbatov, B. L. *Dokl. Phys. Chem., Proc. Acad. Sci. USSR* **140**, 792 (1961).
156. Hobrock, B. G. and Kiser, R. W. *J. Phys. Chem.* **66**, 155 (1962).
157. Westmore, J. B., Mann, K. H. and Tickner, A. W. *J. Phys. Chem.* **68**, 606 (1964).
158. Cullen, W. R. and Frost, D. C. *Can. J. Chem.* **40**, 390 (1962).
159. Morrison, J. D., Hurler, H., Inghram, M. G. and Stanton, H. E. *J. Chem. Phys.* **33**, 821 (1960).
160. Berkowitz, J. and Marquart, J. R. *J. Chem. Phys.* **37**, 1853 (1962).
161. Irsa, A. P. and Friedman, L. J. *Inorg. Nucl. Chem.* **6**, 77 (1958).
162. Price, W. C. *J. Chem. Phys.* **4**, 547 (1936).
163. Dillard, J. G. and Kiser, R. W. *J. Phys. Chem.* **69**, 3893 (1965).
164. Frost, D. C. and McDowell, C. A. *Can. J. Chem.* **38**, 407 (1960).
165. Thomas, R. K. *Proc. R. Soc. London Ser. A*, **331**, 249, 1972.

## ELECTRON WORK FUNCTIONS OF THE ELEMENTS

Compiled by Herbert B. Michaelson, 1977

The measured values cited for polycrystalline and single-crystal specimens are selected as being the best available data at this time. The selection is based on (1) The validity of the experimental technique (e.g., value of  $10^{-10}$  or  $10^{-16}$  Torr, clean surfaces, and identification of crystal-face distribution and other surface conditions), and (2) Best agreement with preferred values and theoretical values of the true work function (given variously by Fomenko, Riviere, Trasatti, and Lang and Kohn\*). Experimental data that are not well substantiated according to these criteria are listed in *italics*. Crystallographic directions for single-crystal data are indicated by parentheses.

Abbreviations used in the experimental method: T, thermionic; P, photoelectric; CPD, contact potential difference; F, field emission. Important distinctions among such measurements are discussed in the Riviere\* paper, pp. 180 to 198.

Element	Experimental value, $\phi$ (eV)	Experimental method	Ref.	Element	Experimental value, $\phi$ (eV)	Experimental method	Ref.
Ag	4.26	P	5	Hg	4.49	P	278
	4.64 (110)	P	5		4.12	P	281
	4.52 (110)	P	5		5.42 (110)	P	304
	4.74 (111)	P	5		5.76 (111)	P	305
Al	4.28	P	7		5.67 (100)	P	312
	4.41 (100)	P	8		5.00 (210)	P	314
	4.06 (110)	P	7		2.30	P	324
	4.24 (111)	P	9		3.59	P	103
As	3.75	P	9		2.9	P	335
Au	5.1	P	10		3.31	P	345
	5.47 (100)	P	11		3.66	P	351
	5.37 (110)	P	11		4.1	P	104
	5.31 (111)	P	11		4.60	P	104
B	4.45	T	12		4.59 (100)	P	363
Ba	2.7	T	13		4.95 (110)	P	367
Be	4.98	P	14		4.55 (111)	P	367
Bi	4.22	P	15		4.55 (111)	P	367
C	5.0	CPD	16		4.36 (112)	P	367
Ca	2.87	P	17		4.50 (114)	P	367
Cd	4.22	CPD	18		4.55 (332)	P	367
Ce	2.9	CPD	19		2.75	P	377
Co	5.0	P	10		4.34	P	107
Cr	4.5	P	10		4.02 (001)	P	383
Cs	2.14	P	19		4.87 (110)	P	384
Cu	4.65	P	10		4.36 (111)	P	384
	4.59 (100)	P	20		4.63 (112)	P	384
	4.48 (110)	P	20		4.29 (113)	P	384
	4.94 (111)	P	20		3.95 (116)	P	384
	4.53 (112)	P	20		4.18 (310)	P	384
Eu	2.5	P	10		3.2	P	10
Fe	4.5	P	10		5.15	P	10
	4.67 (110)	P	21		5.22 (100)	P	39
	4.81a (111)	P	22		5.04 (110)	P	39
	4.70a	P	23		5.35 (111)	P	39
	4.62b	P	23		4.83	P	29
	4.68b	P	23		4.25	P	40
	4.2	CPD	24		5.12	P	31
Ga	5.0	CPD	25		5.6 (111)	P	41
Ge	4.80 (111)	P	26		5.65	P	41
Gd	3.1	P	10		5.7 (111)	P	41
Hf	3.9	P	10		2.76	P	23

## ELECTRON WORK FUNCTIONS OF THE ELEMENTS (continued)

Element	Experimental value, $\phi$ (eV)	Experimental method	Ref.	Element	Experimental value, $\phi$ (eV)	Experimental method	Ref.
Re	4.96	T	29	Te	4.95	P	44
Rh	5.75 (1011)	F	33	Th	3.4	T	51
Ru	4.98	P	31	Ti	4.33	P	40
Sb	4.71	P	31	Tl	3.84	CPD	52
	4.55 (amorph.)	—	42	U	3.63	P & CPD	53
	4.7 (100)	—	43		3.73 (100)	P & CPD	54
Sc	3.5	P	10		3.90 (110)	P & CPD	54
Se	5.9	P	44		3.67 (113)	P & CPD	54
Si	4.85	CPD	40	V	4.3	P	10
	4.91 (100)	CPD	45	W	4.55	CPD	55
	4.60 (111)	P	46		4.63 (100)	F	30
Sm	2.7	P	10		5.25 (110)	F	30
Sn	4.42	CPD	47		4.47 (111)	F	30
Sr	2.59	T	48		4.18 (113)	CPD	56
Ta	4.25	T	29		4.30 (116)	T	57
	4.15 (100)	T	49	Y	3.1	P	10
	4.80 (110)	T	49	Zn	4.33	P	15
	4.00 (111)	T	49		4.9 (0001)	CPD	58
Tb	3.0	P	50	Zr	4.05	P	10

## REFERENCES

1. Fomenko, V. S., *Emission Properties of Materials*, 3rd ed., Naukova Dumka, Kiev, 1970 (in Russian).
2. Riviere, J. C., *Solid State Surface Science*, Green, M., Ed., Vol. 1, Marcel Dekker, 1969, chap. 4.
3. Trasatti, S., *Chim. Ind. (Milan)*, 53(6), 559, 1971.
4. Lang, N. D. and Kohn, W., *Phys. Rev. B*, 3(4), 1215, 1971.
5. Dweydari, A. W. and Mee, C. H. B., *Phys. Status Solidi A*, 27, 223, 1975.
6. Dweydari, A. W. and Mee, C. H. B., *Phys. Status Solidi A*, 17, 247, 1973.
7. Eastment, R. M. and Mee, C. H. B., *J. Phys. F*, 3, 1738, 1973.
8. Grepstad, J. K., Gartland, P. O., and Slagsvold, B. J., *Surf. Sci.*, 57, 348, 1976.
9. Raisin, C. and Pinchaux, R., *Solid State Commun.*, 16, 941, 1975.
10. Eastman, D. E., *Phys. Rev. Sect. B*, 2, 1, 1970.
11. Potter, H. C. and Blakeley, J. M., *J. Vac. Sci. Technol.*, 12, 635, 1975 and Potter, H. C., Ph.D. thesis Cornell University, Materials Science Center Rep. No. 1353, 1970.
12. Adirovich, E. I. and Gol'dshtein, L. M., *Fiz. Tverdogo Tela (Leningrad)*, 9, 1258, 1967.
13. Bondarenko, B. V. and Makhov, V. I., *Sov. Phys. Solid State*, 12(7), 1522, 1971.
14. Gustafsson, Broden, and Nilsson, *J. Phys. F*, 4, 2351, 1974.
15. Suhrmann, R. and Wedler, G., *Z. Angew. Phys.*, 14, 70, 1962.
16. Robrieux, B., Faure, R., and Dussaulcy, J. P., *C. R. Acad. Sci. Ser. B*, 278(14), 659, 1974.
17. Gaudart, L. and Riviera, R., *Appl. Opt.*, 10, 2336, 1971.
18. Anderson, P. A., *Phys. Rev.*, 98, 1739, 1955.
19. Boutry, G. A. and Dormont, H., *Philips Tech. Rev.*, 30, 225, 1969.
20. Gartland, P. O., *Phys. Norv.*, 6(3,4), 201, 1972.
21. Ueda, K. and Shimizu, R., *Jp. J. Appl. Phys.*, 11(6), 916, 1972.
22. Kobayashi, H. and Kato, S., *Surf. Sci.*, 18(2), 341, 1969.
23. Cardwell, A., *Phys. Rev.*, 92, 554, 1953.
24. Osipova, E. V., Shurmovskaya, N. A., and Burshtein, R. Kh., *Elektrokimiya*, 5(10), 1139, 1969 (in Russian).
25. Boiko, B. A., Gorodetskii, D. A., and Yas'ko, A. A., *Sov. Phys. Solid State*, 15(11), 2101, 1974.
26. Gobeli, G. W. and Allen, F. G., *Surf. Sci.*, 2, 402, 1964.
27. Lazarev, V. B. and Malov, Y. I., *Fiz. Met. Metalloved.*, 24(3), 565, 1967.
28. Peisner, J., Roboz, P., and Barna, P. B., *Phys. Stat. A*, 4, K187, 1971.
29. Wilson, R. G., *J. Appl. Phys.*, 37, 3170, 1966.
30. Strayer, R. W., Mackie, W., and Swanson, L. W., *Surf. Sci.*, 34, 225, 1973.
31. Nieuwenhuys, Bouwman, and Sachtler, *Thin Solid Films*, 21, 51, 1974.
32. Van Oirschot, Th. G. J., van den Brink, M., and Sachtler, W. H. M., *Surf. Sci.*, 29, 189, 1972.
33. Ovchinnikov, A. P. and Tsarev, B. M., *Sov. Phys. Solid State*, 9(12), 2766, 1968.
34. Bondarenko, B. V. and Makhov, V. I., *Sov. Phys. Solid State*, 12, 2986, 1971.
35. Garron, R., *C. R. Acad. Sci.*, 258, 1458, 1964.
36. Berge, Gartland, and Slagsvold, *Surf. Sci.*, 43, 275, 1974.
37. Whitefield, R. J. and Brady, J. J., *Phys. Rev. Lett.*, 26(7), 380, 1971.
38. Leblanc, R. P., Vanbrugghe, B. C., and Girouard, F. E., *Can. J. Phys.*, 52, 1589, 1974.
39. Baker, B. G., Johnson, E. B., and Maire, G. I. C., *Surf. Sci.*, 24, 572, 1971.
40. Thanailakis, A., *Inst. Phys. Conf. Ser.*, p. 59, 1974.
41. Demuth, J. E., *Chem. Phys. Lett.*, 45, 12, 1977.
42. Gorodetskii, D. A. and Yas'ko, A. A., *Sov. Phys. Solid State*, 13(11), 2928, 1972.
43. Gorodetskii, D. A. and Yas'ko, A. A., *Sov. Phys. Solid State*, 13(5), 1085, 1971.
44. Williams, R. H. and Polanco, J. I., *J. Phys. C*, 7, 2745, 1974.
45. Allen, F. G., *J. Phys. Chem. Solids*, 8, 119, 1959.
46. Allen, F. G. and Gobeli, G. W., *J. Appl. Phys.*, 35, 597, 1964.
47. Simmons, J. G., *Phys. Rev. Lett.*, 10, 10, 1963.
48. Alleau, T., *Surface Phenomena in Thermionic Emitters, Round Table Conf.*, Inst. Tech. Phys. Julich Nucl. Res. Establ., Julich, Germany, 1969, p. 54 (in English).
49. Protodopov, Mikheeva, Shreinberg, and Shuppe, *Fiz. Tverdogo Tela*, 8(4), 1140, 1966.
50. Nemchenok, R. L., Strakovskaya, S. E., and Titenskii, A. I., *Fiz. Tverdogo Tela*, 11(9), 2692, 1969.
51. Estrup, P. J., Anderson, J. R., and Danforth, W. E., *Surf. Sci.*, 4, 286, 1966.
52. Klein, O. and Lange, E., *Z. Elektrochem.*, 44, 542, 1938.
53. Hopkins, B. J. and Sargood, A. J., *Nuovo Cimento*, 5, 459, 1967.
54. Lea, C. and Mee, C. H. B., *J. Appl. Phys.*, 39, 5890, 1968.
55. Hopkins, B. J. and Riviere, J. C., *Proc. Phys. Soc. (London)*, 81, 590, 1963.
56. Love, H. M. and Dyer, G. L., *Can. J. Phys.*, 40, 1837, 1962.
57. Sultanov, V. M., *Radio Eng. Electron.*, 9, 252, 1964 (English translation).
58. Baker, J. M. and Blakeley, J. M., *Surf. Sci.*, 32, 45, 1972.

# PROPERTIES OF METALS AS CONDUCTORS

Metal.	Resistivity microhm- centimeters 20° C.	Temp. coefficient 20° C.	Specific gravity.	Tensile strength, lbs./in.	Melting point ° C.
*Advance. See con-					
Aluminum.....	2.824	0.0039	2.70	30,000	659
Antimony.....	41.7	.0036	6.6	.....	630
Arsenic.....	33.3	.0042	5.73	.....	.....
Bismuth.....	120	.004	9.8	.....	271
Brass.....	7	.002	8.6	70,000	900
Cadmium.....	7.6	.0038	8.6	.....	321
*Caldo. See ni-					
chrome					
Climax.....	87	.0007	8.1	150,000	1250
Cobalt.....	9.8	.0033	8.71	.....	1480
Constantan.....	49	.00001	8.9	120,000	1190
Copper: annealed.....	1.7241	.00303	8.89	30,000	1083
hard-drawn.....	1.771	.00382	8.89	60,000	.....
Eureka. See con-					
stantan					
Exello.....	92	.00016	8.9	95,000	1500
Gas Carbon.....	5000	-.0005	.....	.....	3500
German silver, 18% Ni.....	33	.0004	8.4	150,000	1100
Gold.....	2.44	.0034	19.3	20,000	1063
Ideal. See con-					
stantan					
Iron, 99.98% pure.....	10	.005	7.8	.....	1530
Lead.....	22	.0039	11.4	3,000	327
Magnesium.....	4.6	.004	1.74	33,000	651
Manganin.....	44	.00001	8.4	150,000	910
Mercury.....	95.783	.00089	13.546	0	-38.9
Molybdenum, drawn.....	5.7	.004	9.0	.....	2500
Monel metal.....	42	.0020	8.9	160,000	1300
*Nichrome.....	100	.0004	8.2	150,000	1500
Nickel.....	7.8	.006	8.9	120,000	1452
Palladium.....	11	.0033	12.2	39,000	1550
Phosphor bronze.....	7.8	.0018	8.9	25,000	750
Platinum.....	10	.003	21.4	50,000	1755
Silver.....	1.59	.0038	10.5	42,000	960
Steel, E. B. B.....	10.4	.005	7.7	53,000	1510
Steel, B. B.....	11.9	.004	7.7	58,000	1510
Steel, Siemens-Mar-					
tin					
Steel, manganese.....	18	.003	7.7	100,000	1510
Tantalum.....	70	.001	7.5	230,000	1260
Tin.....	15.5	.0031	16.6	.....	2850
*Therlo.....	47	.00001	8.2	.....	.....
Tin.....	11.5	.0042	7.3	4,000	232
Tungsten, drawn.....	5.6	.0045	19	500,000	3400
Zinc.....	5.8	.0037	7.1	10,900	419

\* Trade mark.

## Superconductivity\*

B.W. ROBERTS

General Electric Research Laboratory, Schenectady, New York

The following tables on superconductivity include superconductive properties of chemical elements, thin films, a selected list of compounds and alloys, and high-magnetic-field superconductors.

The historically first observed and most distinctive property of a superconductive body is the near total loss of resistance at a critical temperature ( $T_c$ ) that is characteristic of each material. Figure 1(a) below illustrates schematically two types of possible transitions. The sharp vertical discontinuity in resistance is indicative of that found for a single crystal of a very pure element or one of a few well annealed alloy compositions. The broad transition, illustrated by broken lines, suggests the transition shape seen for materials that are not homogeneous and contain unusual strain distributions. Careful testing of the resistivity limits for superconductors shows that it is less than  $4 \times 10^{-23}$  ohm-cm, while the lowest resistivity observed in metals is of the order of  $10^{-13}$  ohm-cm. If one compares the resistivity of a superconductive body to that of copper at room temperature, the superconductive body is at least  $10^{17}$  times less resistive.




Figure 1. PHYSICAL PROPERTIES OF SUPERCONDUCTORS

- (a) Resistivity versus temperature for a pure and perfect lattice (solid line). Impure and/or imperfect lattice (broken line).
- (b) Magnetic-field temperature dependence for Type-I or "soft" superconductors.
- (c) Schematic magnetization curve for "hard" or Type-II superconductors.

The temperature interval  $\Delta T_c$ , over which the transition between the normal and superconductive states takes place, may be of the order of as little as  $2 \times 10^{-5}$  K or several K in width, depending on the material state. The narrow transition width was attained in 99.9999 percent pure gallium single crystals.

\*Prepared for Office of Standard Reference Data, National Bureau of Standards, by Standard Reference Data Center on Superconductive Materials, Schenectady, N.Y.